



ExcitaPlus

Contains non-glandular ingredients important for balanced adrenal health and reducing stress-related fatigue*
Provides over three times the L-tyrosine and six times the Rhodiola per capsule compared to AdreCor

Item Number	Available Sizes	Serving Size
20068	60 Capsules	2 Capsules
2069	120 Capsules	2 Capsules


Key Ingredients

L-tyrosine	<ul style="list-style-type: none"> Precursor to catecholamines including dopamine, norepinephrine, and epinephrine
Rhodiola rosea root extract (5% rosavins)	<ul style="list-style-type: none"> Adaptogen that has been shown to reduce stress-induced effects^{1,2*} Data shows Rhodiola rosea was shown to significantly reduce mental fatigue and improve general well-being under stress^{2*}
L-methionine	<ul style="list-style-type: none"> Precursor to S-adenosyl-L-methionine (SAMe)³ SAMe is directly involved in methylation processes including catecholamine synthesis⁴
Mucuna cochinchinensis seed extract (99% L-DOPA)	<ul style="list-style-type: none"> Natural source of L-DOPA⁵ L-DOPA crosses the blood-brain barrier and is a precursor to catecholamines^{6*}
Vitamin B and C	<ul style="list-style-type: none"> Active forms of pantothenic acid, niacin, B6, folate, and C are important for the synthesis of adrenal hormones and catecholamines^{7-12*}

#Magnafolate is a registered trademark of Lianyungang Jinkang Pharmaceutical Technology Co., Ltd.




The Science



- In response to **stress**, the sympathetic nervous system (SNS) and hypothalamic-pituitary-adrenal (HPA) axis signal to the adrenals to release catecholamines (norepinephrine and epinephrine) and cortisol¹³
- While stress is a normal part of life, it can also be associated with imbalances in the HPA axis that can affect catecholamine and cortisol activity¹⁴

NeuroAdrenal Response



Green = Biomarker Blue = Hormone
Orange = Hypothalamic-Pituitary-Adrenal (HPA) axis Purple = Sympathomedullary Pathway

- Chiang H, et al. J Food Drug Anal. 2015;23(3):359-69.
- Spasov A, et al. Phytomedicine. 2000;7(2):85-9.
- Duncan T, et al. Mol Nutr Food Res. 2013;57(4):628-36.
- Mischoulon D and Fava M. Am J Clin Nutr. 2002;76(5):1158S-61S.
- Tuleun C, et al. Livestock Research for Rural Development. 2008;20(10).
- Pardridge W. NeuroRx. 2005;2(1):3-14.
- Ragaller V, et al. J Anim Physiol Anim Nutr (Berl). 2011;95(1):6-16.
- Vrecko K, et al. Biochim Biophys Acta. 1997;1361(1):59-65.
- May J, et al. Brain Res Bull. 2013;90:35-42.
- Antoniades C, et al. Circulation. 2006;114(11):1193-201.
- Matsson M and Shea T. Trends Neurosci. 2003;26(3):137-44.
- Dalszniamurki K. Ann NY Acad Sci. 1990;585:128-44.
- Lee D, et al. BMJ Rep. 2015;48(4):209-16.
- Krizanova O, et al. Stress. 2016;19(4):419-28.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.